
# **Generic - Multi Point Inspection**

## Item Specs

- 8-1/2" x 11-3/4"
- 2-Part, Carbonless, Snap-Out Form
- Part 1 Full Color, Part 2 Black Ink
- Imprint a logo and up to 4 lines of text.







#### Standard Stock Colors



(All swatches colors are approximate representations.)

#### Standard Ink Colors (Including an <u>Approximate</u> Pantone Number)



Adobe Swatch Exchange Files for Stock & Ink Colors are available

### **Art Requirements**

This form can be imprinted with a logo and up to 4 lines of text at the imprinted price. Imprint area is approximately 5'' wide x 7/8'' tall.

### **Additional Information**

Stock Color: White (Part 1) & Canary (Part 2)	Standard Ink Colors: Black, Blue, Red, Green	Non-Standard Ink Colors: NA
Proof Charge: Up to 3 Free	Plate Charge: Yes	Body Printing: No
Screens & Gradients: NA	PMS Match: NA	Bleed: NA

Production Notes (For Internal Use)		
Production: 085		
Crash Imprint		
• InDesign file created using pre-set template.		

0.75" STUB

## **Multi-Point Inspection Checklist Per Manufacturer's Recommendation**

Customer Name:		_Year/Model:	Date:	
RO/Tag:	_ Mileage:	_		
OKAY AT THIS TIME		FUTURE ATTENT	ION REQUIRES PROMPT ATTENTION	
		_		
OK FILL OK FILL	EVELS AND FILL OK FILL	RECOM	IMENDED SCHEDULED MAINTENANCE SERVICES Decl Operation of horn, interior lights, exterior lamps, turn signals,	lined
O O Engine Oil O Brake R	leservoir 🔘 🔘 Power Steering		hazard and brake lamps	
Transmission O Window	v Washer 🛛 🔵 Coolant Recover Reservoir		Radiator, heater, and air-conditioning hoses for leaks and damage	
			Windshield for cracks, chips and pitting	
	ED MAINTENANCE SERVICES		Windshield washer spray, wiper operation and wiper blades	
Oil Change	Fuel Filter		Accessory drive belt(s)	
Oil Filter	Cabin Air Filter		Brake system (including lines, hoses, and parking brake) and wheel end for end-play and bearing noise	ב
Engine Air Filter	Spark Plugs		Clutch operation (if equipped)	╗
Engine Coolant	Tire Rotation Seat Filter		Constant velocity (CV) drive axle boots (if equipped)	뤼
Transmission Fluid Transmission Filter			Drive shaft, transmission, u-joint and shift linkage (if equipped)	╡
Transmission Filter	Accessory Drive Belt(s)		and lubricate (as needed)	
Comments:			Engine Cooling system, hoses and clamps	╝
			Exhaust system (leaks, damage, loose parts)	╝
CHECK	BATTERY		Oil and/or fluid leaks	╧┤
State of Health	Condition of Terminals		Shocks/struts and other suspension components for leaks and/or damage	╝
	Good 🔴 Bad		Steering and steering linkages	╝
0%	100% (Clean if necessary) Declined Battery	STATE INSPECTI	ON DUE (IF APPLICABLE) / / /	
0,0	beening ballery	Comments:		
CHECK BRAKES - MEASURE	FRONT/REAR BRAKE LININGS			
LF	R	F	CHECK TIRES	
		LF		RF
			r Greater 7/32" or Greater	
		4/32" to		
		3/32" or	r less 3/32" or less	
		Z 🛛 🔵 7/32" or	r Greater 7/32" or Greater	
		4/32" to		$\mathbf{O}$
		<b>3/32"</b> or		
	Declined Brake (		Declined Tire (	
Over 5mm or 7/32" (Disc) o	or Over 2mm or 3/32" (Drum)		LF RF	ŏ
	1.01 to 2mm (Drum) or 2/32" to 3/32"		WEAR PATTERN/DAMAGE	
	or 1mm or 2/32" or Less (Drum)			-
BRAKE MEASUREMENTS NOT	TAKEN THIS SERVICE VISIT	TIRE WEAR II	NDICATES: Alignment Check Needed Wheel Balance Needed	
Comments:		Comments:		_
		TIRE PRESSU	JRE SET TO FACTORY RECOMMENDED PSI:	_
Service Advisor:			Front Rear	
Technician:		_ Customer S	Signature:	

0.75" STUB

# **Multi-Point Inspection Checklist Per Manufacturer's Recommendation**

\_ \_ \_ \_ \_ \_ \_ \_ \_

Customer Name:		Year/Model:	Date:		
RO/Tag:	Mileage:				
OKAY AT THIS TIME	MAY REQUIR	E FUTURE ATTENTION	REQUIRES PROMPT ATTENTION		
CHECK FLUID L	EVELS AND FILL	RECOMMENDED SC	HEDULED MAINTENANCE SERVICES	Declined	
OK     FILL     OK     FILL       O     O     Engine Oil     O     Brake R	OK FILL		orn, interior lights, exterior lamps, turn signals,		
O O Transmission O O Window	v Washer O O Coolant Recover Reserve	pir O Radiator, heate	r, and air-conditioning hoses for leaks and damage		
		Windshield for	cracks, chips and pitting		
RECOMMENDED SCHEDULE	ED MAINTENANCE SERVICES	Windshield wa	sher spray, wiper operation and wiper blades		
O Oil Change	O Fuel Filter	Accessory driv	re belt(s)		
O Oil Filter	O Cabin Air Filter		(including lines, hoses, and parking brake) and		
O Engine Air Filter	O Spark Plugs	wheel end for e	end-play and bearing noise		
O Engine Coolant	O Tire Rotation	OOO Clutch operation	on (if equipped)		
O Transmission Fluid	O Seat Filter	Constant veloc	ity (CV) drive axle boots (if equipped)		
O Transmission Filter	O Accessory Drive Belt(s)	Drive shaft, tra and lubricate (a	nsmission, u-joint and shift linkage (if equipped) as needed)		
Comments:		OOO Engine Cooling	system, hoses and clamps		
		Exhaust system	n (leaks, damage, loose parts)		
		— OOO Oil and/or fluid	lleaks		
	BATTERY Condition of Terminals	Shocks/struts an	d other suspension components for leaks and/or damage		
State of Health		Steering and st	teering linkages		
	(Clean if necessary)	STATE INSPECTION DUE (IF APPLI	CABLE) / /		
0%	100% Declined Battery	)	MONTH DAY YEAR		
		Comments:			
	FRONT/REAR BRAKE LININGS				
			CHECK TIRES		
			TREAD DEPTH	RF	
		7/32" or Greater	7/32" or Greate 4/32" to 6/32	$\leq$	
		3/32" or less	3/32" or less	ž I	
		$\sim$			
		7/32" or Greater	7/32" or Greate	× I	
		4/32" to 6/32"	4/32" to 6/32	× I	
		$\bigcirc$   $\bigcirc$ 3/32" or less RR   LR	3/32" or less		
e e	Declined Brake (		Declined T		
Over 5mm or 7/32" (Disc) o	or Over 2mm or 3/32" (Drum)		RF ()(	$\overline{)0}$	
3 to 5mm or 4/32" to 7/32" (Disc) or		$\frac{1}{2}$			
	or 1mm or 2/32" or Less (Drum)				
BRAKE MEASUREMENTS NOT	TAKEN THIS SERVICE VISIT	TIRE WEAR INDICATES:			
	Alignment Check Needed Wheel Balance Needed				
Comments:		Comments:			
		TIRE PRESSURE SET TO FAC	TORY RECOMMENDED PSI:		
Service Advisor:		Front	Rear		
<b>-</b>					
Technician:		Customer Signature:			