
# **Honda Multi Point Inspection**

### Item Specs

- 8-1/2" x 11-3/4"
- 2-Part, Carbonless, Snap-Out Form
- Imprint a logo and up to 4 lines of text







#### Standard Stock Colors



(All swatches colors are approximate representations.)

### Standard Ink Colors (Including an Approximate Pantone Number)



Adobe Swatch Exchange Files for Stock & Ink Colors are available

### **Art Requirements**


This form can be imprinted with a logo and up to 4 lines of text at the imprinted price. Imprint area is approximately 3" wide x 1-3/4" tall.

Manufacturer logos and trademarks are available for exclusive use by authorized dealers only.

### Additional Information

Stock Color: White (Part 1) & Canary (Part 2)	Standard Ink Colors: Black, Blue, Red, Green	Non-Standard Ink Colors: NA
Proof Charge: Up to 3 Free	Plate Charge: Yes	Body Printing: No
Screens & Gradients: NA	PMS Match: NA	Bleed: NA

Production Notes (For Internal Use)	
Production: 085	
Crash Imprint	
• InDesign file created using pre-set template.	



# Honda Multi Point Vehicle Inspection Checklist





R/O TAG NUMBER	NEXT SERVICE DUE
VIN	MILEAGE
SERVICE ADVISOR	TECHNICIAN

Requires Immediate Attention

Interior/Exterior

Headlights (check high and low beams)/Taillights/Brake lights/Hazard warning lights/Turn signals/Exterior lamps

Interior light

Windshield washer spray/Wiper operation/Wiper blades/
Windshield condition

Parking brake

Horn operation

Clutch operation (if applicable)

Micron cabin filter\*\*

Battery Performance (see attached ED-	18 printout)
Good	
Replace	


100 HONDA	
	7.8

Under Hood		
Check fluid levels: Oil/Coolant/Power steering fluid/Brake fluid*/Windshield washer fluid/Automatic transmission fluid		
Air filter condition **		
External drive belts and radiator hoses		
Hydraulic clutch reservoir fluid (M/T vehicles)		
Under Vehicle		
Brake lines/Hoses/Parking brake cable		
Shock absorbers/Struts/Suspension/Tie rod ends and boots/Steering gear and dust seals		
Exhaust system		
Engine oil and/or fluid leaks		
Drive shaft boots/Constant velocity boots and bands		

Comments		

	Tire Condition				
Left Front				Right Front	
	Wear pattern		Wear pattern		
	Tire tread	32nds	Tire tread32nds		
Left Rear				Right Rear	
	Wear pattern		Wear pattern		
	Tire tread	32nds	Tire tread32nds		
Spare			For all the inflation and		
	Wear pattern		Front tire inflation set to psi  Rear tire inflation set to psi		
	Tire tread	32nds	riodi dio ililidiloli ott		

Brake Condition				
Left Front			Right Front	
	mms	mms		
Left Rear			Right Rear	
	mms	mms		
Brakes not i	nspected on this visit			



\*Note: Brake fluid NOT filled - fluid level indicate pad wear

<sup>\*\*</sup>Refer to maintenance schedule



MADE IN THE U.S.A.

## Honda Multi Point Vehicle Inspection Checklist





R/O TAG NUMBER	NEXT SERVICE DUE
VIN	MILEAGE
SERVICE ADVISOR	TECHNICIAN

Requires Immediate Attention

Satisfactory May Requ	uire F	uture A	ttenti	on
Interior/Exterior				
Headlights (check high and low beams)/Taillights/Brake lights/Hazard warning lights/Turn signals/Exterior lamps				L
Interior light			]	
Windshield washer spray/Wiper operation/Wiper blades/ Windshield condition				L
Parking brake			]	
Horn operation			]	
Clutch operation (if applicable)				
Micron cabin filter**			] [	

Battery Performance (see attached ED-	18 printout)
Good	
Replace	




Under Hood		
Check fluid levels: Oil/Coolant/Power steering fluid/Brake fluid*/Windshield washer fluid/Automatic transmission fluid		
Air filter condition **		
External drive belts and radiator hoses		
Hydraulic clutch reservoir fluid (M/T vehicles)		
Under Vehicle		
Brake lines/Hoses/Parking brake cable		
Shock absorbers/Struts/Suspension/Tie rod ends and boots/Steering gear and dust seals		
Exhaust system		
Engine oil and/or fluid leaks		
Drive shaft boots/Constant velocity boots and bands		

Comments		

Tire Condition							
Left Front		nt				Right Front	
			Wear pattern		Wear pattern		
			Tire tread	32nds	Tire tread32nds		
Le	eft Rear		Right Rear				
			Wear pattern		Wear pattern		
			Tire tread	32nds	Tire tread32nds		
Spare				Front tire inflation and			
			Wear pattern		Front tire inflation set to ps Rear tire inflation set to ps		
			Tire tread	32nds	riodi dio ililiation oct	poi	

Brake Condition							
Le	ft Fro	Front Rig		ight Front			
			mms	mms			
Le	eft Re	ar			Right Rear		ear
			mms	mms			
Br	Brakes not inspected on this visit						



\*Note: Brake fluid NOT filled - fluid level indicate pad wear

\*\*Refer to maintenance schedule